



# PART 8

**080-103**

WHEEL CHAIRS

COMMUNE CHAIRS

WALKERS

STICKS

CANES

CRUTCHS

BATH BENCHS

# NEW MODELS WHEEL CHAIR



**TC205LHQ**  
Aluminum Chair Frame, Flip-Up And Height-Adjustable Inclined Armrest. Detachable Footrest, Solid Castor, Quick Release, Pneumatic Rear Wheel, Carrying Wheel And Anti-Tippers, Angle-Adjustable Footplate, Locking Drum Brake.



**TC250LCPQ**  
Aluminum Chair Frame, Flip-Up And Height-Adjustable Inclined Armrest. Dechable Elevating Footrest, PU Castors, Quick Release PU Rear Wheel, Anti-Tippers, Angle-Adjustable Footplate.



**TC121LF1**  
Powered Pediatric Wheel Chair, Aluminum Chair Frame, Adjustable PU Armrest, Adjustable Seat Width, Reclining High Back, Lithium Battery, Rubber Foam Drive Wheel.



**TC131GC**  
Steel Chair Frame, Adjustable And Detachable Armrest, Detachable Footrest, Rubber Foam Castor And Drive Rear Wheel, Electrical Lifting Seat, Adjustable Seat Angle.



**TC958LBPYF8**  
Aluminum Adapting Child Wheel Chair Adjustable Seat Size And Seat Height, Push Handle, Movable Armrest, Optional Accessories: Food Table, Height Adjustable Footrest And Adjustable Headrest, Tilttable Seat, Reclining Back, PU Wheels.



**TC980LQF8**  
Aluminum Adapting Child Wheel Chair, Adjustable Seat Size, Solid Castor, Flip-UP Armrest, Fixed Footrest, Height Adjustable Footplate, Quick Release Pneumatic Rear Wheel.

Code	Specification (cm)		Wheelchair Models						Battery		Tilt Angle (°)	Weight (Kg)	Dimensions (CM)		Weights (kg)	
	Seat	Depth	TC121LF1	TC131GC	TC958LBPYF8	TC980LQF8	TC205LHQ	TC250LCPQ	Capacity	Voltage			N.W.	G.W.		
TC121LF1	59	38(46)	32	20	52	96	20	1-7	23AH	200W*2	12°	75	86*58*75	40.9	48.9	
TC131GC	59	46	32	20	55	120-127	25	1-7	40AH	200W*2	12°	100	86*65*75	91.7	98.5	
TC958LBPYF8	52	25-32	30	15	38-66	98-120						35	86*53*45	24	27	
TC980LQF8	50-60	25-35	52	10	50-55	87-92						75	76*39*90	14.4	17.4	
TC205LHQ	68	46	62	15	49	90						100	77*33*91	18.6	20.9	
TC250LCPQ	67	46	60	17.5	50	93						100	83*31*91	20.4	22.6	





**TC809**  
Chromed Steel Frame,  
Fixed Armrest, Fixed Footrest  
Solid Castor, Solid Rear Wheel



**TC809B**  
Chromed Steel Frame, Fixed Armrest,  
Fixed Footrest, Solid Castor, Solid Mag Wheel



**TC802-35**  
Children Type, Chromed Steel Frame,  
Fixed Armrest, Fixed Footrest  
Solid Castor, Solid Rear Wheel



**TC972**  
Chromed Steel Frame, Fixed Armrest,  
Detachable Footrest  
Solid Castor, Solid Rear Wheel



**TC874**  
Chromed Steel Frame, Fixed Armrest,  
Fixed Footrest Solid Castor,  
Solid Rear Wheel, Double Cross Bars



**TC874A**  
Chromed Steel Frame, Fixed Armrest,  
Fixed Footrest, Drop Back Handle, Solid Castor,  
Solid Rear Wheel, Double Cross Bars

Code	Specification (cm)		Diagram 1								Diagram 2		Weight (Kg)		Dimensions (CM)		CTNS	
	Seat	Back	Seat	Back	Seat	Back	Seat	Back	Seat	Back	Seat	Back	N.W.	G.W.	20°FCL	40°FCL		
TC809	60(65)	23	41(46)	59	20	51	87	106	40	40	100	93*21*87	18	21	144	300		
TC809B	60(66)	24	41(46)	59	20	51	90	108	40	42	100	93*21*86	18	21	140	288		
TC802-35	54	23	35	55	15	47	85	97	36	42	75	84*24*86	18	20	164	332		
TC972	60(65)	23	41(46)	29	20	50	87	102	40	40	100	93*21*87	18	20	172	320		
TC874	60(65)	27	41(46)	59	20	47	91	104	40	42	120	93*26*91	20	22	108	220		
TC874A	62	28	39	61	20	45	84	106	40	42	100	97*31*85	16	18	88	192		

# STEEL WHEEL CHAIR



**TC876**  
Chromed Steel Frame, Fixed Armrest,  
Fixed Footrest  
Solid Rear Castor, Rear Wheel Pneumatic



**TC901**  
Chromed Steel Frame, Detachable Armrest,  
Detachable Footrest, PU Castor,  
Pneumatic Rear Wheel



**TC983**  
Chromed Steel Frame, Detachable Armrest,  
Fixed Footrest  
Solid Castor, Solid Wheel



**TC902C**  
Chromed Steel Frame, Detachable  
Desk Armrest, Elevating Footrest,  
PU Castor, Pneumatic Rear Wheel



**TC810Y**  
Chromed Steel Frame, Fixed Armrest,  
Fixed Footrest, Solid Castor, Solid  
Rear Wheel, Hard Seat Cushion.



**TC903GC**  
Chromed Steel Frame, 8" PVC Castor,  
24" Solid Wheel, Detachable Armrest,  
Elevating Footrest, Reclining High Back

Code	Specification (cm)	Diagram 1								Diagram 2		Weight (Kg)	Dimensions (CM)	Weight		Capacity	
		Seat H	Seat W	Seat D	Wheel W	Wheel D	Wheel H	Wheel L	Wheel R	Seat H	Seat W			N.W.	G.W.	20"FCL	40"FCL
TC876	60(65)	28	41(46)	59	20	47	91	106	40	41	110	84*28*78	20	22	144	330	
TC901	60(64)	28	41(46)	59	20	50	90	106	40	41	100	80*27*88	20	22	132	268	
TC983	60(65)	28	41(46)	59	20	51	89	105	40	42	100	93*28*88	19	21	172	320	
TC902C	60(66)	28	41(46)	61	20	50	90	105	40	42	100	80*30*88	20	22	126	260	
TC810Y	66	46	58		20	50	89	100				94*31*95	19.7	22.2	108	220	
TC903GC	63(65)	30	41(46)	59	20	51	96	118	42	82	100	97*30*87	26	28			



# STEEL WHEEL CHAIR



**TC903**  
Powder Coating Frame,  
Detachable Footrest&Armrest,  
Solid Castor,Solid Rear Wheel



**TC903B**  
Powder Coated Steel Frame,  
Solid Castor,Solid Rear Wheel,  
Detachable Armrest And Footrest



**TC904B**  
Powder Coating Steel Frame,  
Detachable Desk Armrest,  
Detachable Footrest, Solid Castor,  
Pneumatic Mag Wheel.



**TC909B**  
Powder Coated Steel Frame,  
Flip Up Armrest,Detachable Footrest,  
Solid Castor ,Solid Mag Wheel



**TC972B**  
Powder Coating Steel Frame,  
Fixed Armrest,Fixed Footrest  
Solid Castor,Solid Mag Rear Wheel.



**TC902GC**  
Chromed Steel Frame  
Detachable Desk Armrest  
Elevating Footrest  
PU Castor,Pneumatic Rear Wheel

Code	Specification (cm)	Diagram 1								Diagram 2		Weight (Kg)	Dimensions (CM)	Weight		Capacity	
		W	D	H	W	D	H	W	D	N.W.	G.W.			20°FCL	40°FCL		
TC903	60(65)	30	41(46)	59	20	51	90	106	42	82	100	80*28*91	20	22	130	260	
TC903B	63(65)	30	41(46)	59	20	51	96	118	42	82	100	80*29*89	26	28			
TC904B	62		46	31	20	50	88				100	71*25*90	14.3	16.4	180	406	
TC909B	57(68)	30	41(46)	60	20	50	93	106	40	45	100	83*29*95	20	22	130	260	
TC972B	63		46	58	20	49	87				100	80*24*91	17.6	19.2	172	390	
TC902GC	63(65)	30	41(46)	59	20	51	96	118	40	78	100	95*30*87	26	28	92	186	



# STEEL WHEEL CHAIR



### TC951B-56

Powder Coating Steel Frame, 22" Seat Width, Flip-UP Armrest, Detachable Footrest, Rubber Foam Castor, Pneumatic Mag Wheel.



### TC204BJ

Powder Coating Steel Frame, Reclining High Back, Adjustable And Detachable Headrest, Detachable Pillow, Adjustable Seat Angle, Height Adjustable Armrest, Elevating Footrest, TPR Castor, United Brake.



### TC209AE-61

Powder Coating Steel Frame, Detachable Desk Armrest, Detachable Footrest, 24" Seat Width, Foldable Push Bar, Solid Castor, Pneumatic Rear Wheel.



### TC212BCEG-41

Chromed Steel Frame, Reclining High Back, Flip-UP Desk Armrest, Elevating Footrest, Solid Castor, Pneumatic Mag Wheel, Foldable Push Bar.



### TC870ABJ

Chromed Steel Frame, Double Cross Bar, Drop Back Handle With United Brake, Fixed Armrest, Fixed Footrest, Solid Castor, Pneumatic Mag Rear Wheel.



### TC976ABJ-43

Chromed Steel Frame, Fixed Armrest, Detachable Footrest, Drop Back Handle With United Brake, Solid Wheel.

Code	Specification (cm)									CTNS	CTNS	
												N.W.
TC951B-56	73	56	62	20	54	93	125	83*33*93	21.5	24.1	112	245
TC204BJ	68	46	62	20	58	121-133	150	88*64*84	38	42.5	58	132
TC209AE-61	81	61	62	20	51	93	125	86*37*83	21.8	24.5	100	240
TC212BCEG	88	41	40	15	49	107	100	83*33*109	20.2	22.4	98	232
TC870ABJ	60	41	40	15	45	89	100	82*28*76	14.5	17.4	168	387
TC976ABJ-43	56	43	20	20	50	96	100	74*26*78	12.9	15.1	216	432





**TC907BC**  
Chromed Steel Frame,  
Detachable Desk Armrest,  
Elevating Footrest,Solid Castor,  
Pneumatic Mag Wheel.



**TC869X**  
Powder Coating Steel Frame,  
Double Cross Bar,Fixed Inclined Armrest,  
Fixed footrest,Solid Castor solid Rear Wheel.



**TC875**  
Powder Coating Steel Frame,  
Fixed Armrest,Fixed Footrst,  
Solid Castor,Solid Rear Wheel.



**TC901B**  
Powder Coating Steel Frame,  
Detachable Armrest,Detachable Footrest,  
PU Castor,Pneumatic Mag Wheel.



**TC908AQ**  
Chromed Steel Frame,Flip-up Desk Armrest,  
Detachable Footrest,Solid Castor,Quick  
Release Pneumatic Rear Wheel,Drop Back Handle



**TC975-51**  
Chromed Steel Frame,20" Seat Width  
Detachable Armrest And Footrest,Solid Castor  
Pneumatic Rear Wheel

Code	Specification (cm)	Wheelchair Dimensions (cm)						Weight (Kg)	Seat Width (CM)	N.W. : G.W.	CTNS	
		Seat Depth	Seat Width	Wheelbase	Wheel Diameter	Wheel Spacing	Wheel Diameter				20°FCL	40°FCL
TC907BC	58	41	62	20	50	88	100	73*28*89	17.2	19.2		
TC869X	62	46	59	20	49	87	100	103*25*89	16.2	19	144	372
TC875	65	46	58	20	50	86.5	100	94*28*89	15.9	18.6	132	326
TC901B	64	46	61	20	20	88.5	100	80*28*91	17.9	22	126	340
TC908AQ	64	46	62	20	49	91.5	100	82*31*93	19	21.3		
TC975-51	73	51	62	20	50	91	125	80*28*91	18.4	21.3	130	310

# ALUMINUM WHEEL CHAIR



**TC864LY**  
Aluminum Chair Frame,  
Fixed Armrest, Fixed Footrest,  
Plastic Footplate Hard Cushion, Solid Castor,  
Pneumatic Rear Wheel Plastic Hand Rim



**TC865BLJ**  
Aluminum Frame With United Brake,  
Solid Castor, PU Mag Wheel,  
Fixed Armrest, Fixed Footrest



**TC872LJ**  
Aluminum Frame With United Brake,  
Pneumatic Wheel, Fixed Armrest,  
And Fixed Footrest



**TC908LAH**  
Aluminum Chair Frame With Drum Solid Castor,  
PU Wheel, Flip Up Armrest Detachable Footrest



**TC231LHPQ**  
Aluminum Chair Frame,  
Flip-UP Height-Adjustable Inclined Armrest,  
Detachable Footrest, PU Castor,  
Quick Release PU Rear Wheel,  
Locking Drum Brake, Anti-Tippers,  
Angle-adjustable Footplate.



**TC800LBJ**  
Transit Wheel Chair,  
Aluminum Light Weight Chair Frame,  
6" Rear Solid Castors, 5" Front Castors,  
Flip Armrest, Drop Back Handle,  
Lockable Attendant Brake, With Seat Belt.

Code	Specification (cm)		Diagram 1								Diagram 2		Weight (Kg)	Dimensions (CM)		Weight (kg)		Capacity (CTNS)	
	Seat	Backrest	Seat	Backrest	Seat	Backrest	Seat	Backrest	Seat	Backrest	Seat	Backrest		N.W.	G.W.	20°FCL	40°FCL		
TC864LY	62(70)	28	41(46)	61	20	53	89	107	40	34	100	92*28*93	20	22	108	196			
TC865BLJ	56(61)	26	40(46)	30	15	44	88	83	41	38	100	86*26*87	10	12	128	264			
TC872LJ	55(61)	28	41(46)	51	15	49	88	92	30	40	100	80*28*88	12	14	140	280			
TC908LAH	56(63)	28	41(46)	56	15	50	89	107	40	40	100	80*28*72	14	16	168	342			
TC231LHPQ	68		46	60	15	49	91				100	78*31*94	17.6	20.1	108	272			
TC800LBJ	51		38	15	12.5	45	88				100	48*34*66	6.9	9.1	270	670			







**TC803LB**  
Transit Wheelchair,  
Aluminum Light Weight Chair Frame,  
6" Rear Solid Castors, 4" Front Castors,  
Flip-UP Armrest, With Seat Belt



**TC868L**  
Aluminum light Weight Frame,  
Solid Castor And Wheel, Fixed  
Armrest And Footrest



**TC874LAJ-30**  
Pediatric Wheel Chair Aluminum Chair Frame,  
Fixed Armrest, Fixed Footrest,  
Solid Castor, Pneumatic Rear Wheel,  
Drop Back Handle, With United Brake.



**TC874LAJF1-30**  
Pediatric Wheel Chair Aluminum Chair Frame,  
Fixed Armrest, Fixed Footrest, Solid Castor,  
Pneumatic Rear Wheel,  
Drop Back Handle, With United Brake.



**TC874LF5**  
Aluminum Chair Frame,  
fixed armrest and footrest, solid castor,  
24" PU wheel, with brake



**TC878LAJ**  
Aluminum Light Weight Chair Frame, Fixed Armrest,  
Flip Up Footrest, Solid Castor,  
Pneumatic Rear Mag Wheel, Drop Back Handle,  
Locking United Brake.

Code	Specification (cm)		Wheelchair Diagrams							Weight (Kg)		Dimensions (CM)		CTNS		
	Seat	Back	Seat	Back	Wheel	Wheel	Wheel	Wheel	Wheel	Weight	Height	N.W.	G.W.	20°FCL	40°FCL	
TC803LB	38		32	15	10	45	84			100	39*29*70	6	7.5	357	864	
TC868L	62(65)	24	43(46)	61	20	50	86	100	40	38	100	97*24*87	14	16		
TC874LAJ-30	53		30	53	15	44	85			75	78*28*68	12.3	14.4	186	444	
TC874LAJF1-30	53		30	53	15	44	85			75	78*28*68	12.8	14.9	186	444	
TC874LF5	58		46	30	15	48	94			100	74*28*95	10.6	13.3	192	440	
TC878LAJ	70		46	58	15	49	88			100	82*28*76	12.7	14.2	168	401	

# ALUMINUM WHEEL CHAIR



**TC903LQ**  
Aluminum Frame, Flip-Up Desk Armrest, Detachable Footrest, Solid Castor, Quick Release Pneumatic Rear Wheel.



**TC955L**  
Aluminum Chair Frame, Flip-Up Inclined Armrest, Detachable Footrest, Solid Castor, Pneumatic Rear Wheel.



**TC974LP**  
Aluminum Frame, Fixed armrest, Detachable footrest, Solid castor, PU/Rear/Wheel.



**TC976LAB**  
Aluminum Chair Frame, Fixed Armrest. Detachable Footrest, Solid Castor. Solid Rear Mag Wheel, Drop Back Handle



**TC976LA-12:**  
Aluminum Frame Detachable Footrest Drop Back Handle, Aitk Brake. Solid Castor And Wheel



**TC804LABJP**  
Transit Wheel Chair, Aluminum Light Weight Chair Frame, 8" Rear Solid Castors, 5" Front Castors, Flip-Up Armrest, Drop Back Handle, Lockable Attendant Brake, With Seat Belt.

Code	Specification (cm)							N.W. (Kg)	G.W. (CM)	N.W. (kg)	G.W. (kg)	CTNS		
	Seat H	Seat W	Seat D	Wheel W	Wheel D	Wheel H	20°FCL					40°FCL		
TC903LQ	64	46	62	15	52	90	100	80*28*91	14.2	16.3	108	272		
TC955L	63	46	62	15	50	89	100	83*28*90	15.7	17.9	126	282		
TC974LP	63	41	61	20	49	88	100	80*28*91	14	16	108	272		
TC976LAB	60	46	20	20	52	101	100	74*26*83	10.6	12	200	485		
TC976LA-12"	56	24	41	30	20	49	97	100	43	45	90	70*26*79	14	16
TC804LABJP	45	37	20	12.5	45	89	100	75*25*66	6.7	9.4	228	560		





### TC805LABJ

Aluminum Light Weight Chair Frame,  
Fixed Armrest, Flip-Up Footplate,  
Solid Castor, Pneumatic Rear Mag Wheel,  
Drop Back Handle, United Brake.



### TC807LABP

Transit Wheel Chair,  
Aluminum Light Weight Chair Frame,  
6" Rear Solid Castors, 5" Front Castors,  
Flip-Up Armrest, With Seat Belt



### TC870LAJ

Aluminum Light Weight Chair Frame,  
Fixed Armrest, Fixed Footrest,  
Solid Castor, Pneumatic Rear Wheel,  
Drop Back Handle, With United Brake.



### TC207LABP

Aluminum Chair Frame,  
Flip-Up Inclined Armrest,  
Detachable Footrest, Solid Castor,  
PU/Rear/Mag/Wheel, Drop back handle











### TC985LBGY-38

Aluminum Chair Frame,  
Adjustable Headrest, Detach Able Armrest,  
Fixed Footrest, Solid Castor, Pneumatic  
Mag Wheel, Adjustable Seat Angle, Safety Belt.



### TC871LBJ

Aluminum Light Weight Chair Frame,  
Fixed Armrest & Footrest, Solid Castor,  
Pneumatic Mag Wheel, With United Brake.

Code	Specification (cm)										kg		CTNS	
	N.W.	G.W.									20°FCL	40°FCL		
TC805LABJ	59	46	31	15	49	90	100	72*25*76	9.6	11.22	140	324		
TC807LABP	37	32	15	12.5	45	87	100	56*23*60	7	8.1	472	864		
TC870LAJ	69	46	40	15	48	89	100	80*28*76	12.5	14.5	176	410		
TC207LABP	62	46	38	15	50	89	100	78*28*76	13.9	15.9	186	378		
TC985LBGY-38	52	38-44	40	15	48	97-116	75	72*25*76	11	12	90	223		
TC871LBJ	54	41	40	15	49	89	100	80*28*91	10.6	13.6	140	340		

# ALUMINUM WHEEL CHAIR



## TC980LA-30

Pediatric Wheel Chair Aluminum Chair Frame, Flip-Up Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle.



## TC863LABJ

Aluminum Light Weight Chair Frame, Fixed Armrest, Flip UP Footrest, Solid Castor, Pneumatic Rear Mag Wheel, Drop Back Handle, Locking United Brake.



## TC879LAJ

Aluminum Light Weight Chair Frame, Fixed Armrest, Flip UP Footrest, Solid Castor, Pneumatic Rear Wheel Drop Back Handle, Locking United Brake.



## TC864L

Aluminum Light Weight Frame, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel












## TC950LBPQ-46

Aluminum Chair Frame, Flip-UP And Height-Adjustable Inclined Armrest, Detachable Footrest, Solid Castor, Quick Release PU Mag Wheel, Anti-Tippers, Angle-Adjustable Footplate.



## TC958LBCGPY-38

Aluminum Chair Frame, Reclining High Back, Adjustable Headrest, Detachable Armrest, Elevating Footrest, Solid Castor, PU Mag Wheel, Adjustable Seat Angle, Safety Belt

Code	Specification (cm)						 (Kg)	 (CM)	 (kg)		CTNS	
									N.W.	G.W.	20'FCL	40'FCL
TC980LA-30	47	30	53	15	48	90	75	90*33*73	12.5	15	148	315
TC863LABJ	60	46	31	15	48	90	100	71*28*71.5	9.5	11	12	441
TC879LAJ	65	46	31	15	15	87	100	72*30*72	11.5	13	168	384
TC864L	67	46	62	20	48	89	100	94*28*92	12.8	15		
TC950LBPQ	67	46	61	15	51	91	100	83*33*93	16.7	19.1	92	224
TC958LBCGPY-38	52	38-44	40	15	48	97-116	75	84*40*97	18.3	21	90	223





**TC980LA**  
Aluminum Chair Frame,  
Flip-UP Armrest, Fixed Footrest,  
Solid Castor, Pneumatic Rear Wheel,  
Drop Back Handle.



**TC980LA-35**  
Pediatric Wheel Chair Aluminum Chair Frame,  
Flip-UP Armrest, Fixed Footrest,  
Solid Castor, Pneumatic Rear Wheel,  
Drop Back Handle.



**TC983L**  
Aluminum Frame,  
Flip-UP Desk Armrest, Fixed Footrest,  
Solid Castor, Pneumatic Rear Wheel.



**TC9003L**  
Aluminum Frame, 5" Castor,  
8" PVC Rear Wheel,  
Foldable Back With Brake.



**TC873LABJP**  
Aluminum Light Weight Chair Frame,  
Fixed Armrest, Fixed Footrest  
Solid Castor, PU Rear Mag Wheel,  
Drop Back Handle, Locking unit Brake.



**TC5777**  
Electric Patient Hoist  
Maximum Loading Capacity: 125kg  
Maximum Height Of Lifting Stand: 112cm  
Width Between Legs: From 61cm TO 92cm

Code	Specification (cm)	Wheelchair Icons							Hoist Icons		(Kg)	(CM)	kg		CTNS	
		W1	W2	W3	W4	W5	W6	W7	H1	H2			N.W.	G.W.	20'FCL	40'FCL
TC980LA	64			46	61	15	51	94			100	94*28*73	146	176	126	284
TC980LA-35	52			35	58	15	48	90			75	90*33*73	13	155	148	315
TC983L	58			41	55	15	49	85			100	94*28*89	131	157	108	272
TC9003L	45	21		36	20	12.5	45	86	101	36	43	82*22*65	10	12		
TC873LABJP	58			46	30	15	48	94			100	74*28*75	106	133	192	440
TC5777	55							121-207			100	125*57*38	43	47.8		

# ELECTRIC WHEEL CHAIR



### TC122L

Aluminum Frame, Vehicle Seat, With Reclining Back, Detachable Arm And Footrest, Mobile Seat, PU Castor, PU Drive Wheel



### TC152

Powder Coated Steel Frame, Seat with Reclining, Back Adjustable Armrest, Detachable Footrest, PU Castor, PU Drive Wheel, With Safety Lamp



### TC111A

Powder Coated Steel Frame, Foldable, Flip Up Armrest, Detachable Footrest, Drop Back Handle, PU Castor, PU Drive Wheel



### TC110A

Powder Coating Steel Frame, Foldable Flip up Armrest, Detachable, Footrest, Drop Back Handle, PU Castor, PU Drive Wheel



### TC112

Resin-Coating Steel Frame, Fixed Armrest, Detachable, Footrest, Mag Drive Wheel, Rubber Foam Castor, Foldable Chair Frame.



### TC121

Powder Coating Steel Frame, Flip-UP Desk Armrest, Detachable Footrest, Rubber Foam Castor And Drive Wheel, Foldable Backrest

Code	Specification (cm)											N.W. G.W.		CTNS	
	Seat H	Seat W	Seat D	Wheel W	Wheel D	Wheel H	Wheel L	Wheel R	Seat H	Seat W	Seat D	kg	kg	20°FCL	40°FCL
TC122L	64		43	32	20*5	50	127	120	40	53	120	83*64*65	72 77	66	150
TC152	58		46	32	20*5	53	100	104	44	36	110	94*31*95	60 70	54	120
TC111A	58(62)	35	41(46)	32	20*5	53	95	100	40	46	110	78*38*78	33 35	115	230
TC110A	58(62)	35	41(46)	32	20*5	52	93	100	40	43	110	78*38*78	33 35	115	230
TC121	63	46	46	30	20	51	94				125	83*67*73	56 65.8	46	96
TC112	62		46	31	20	49	91				100	85*43*94	33.2 42	36	78



# ELECTRIC STANDING WHEELCHAIR



**TC124**  
Resin-Coating Steel Frame, Adjustable And Detachable Armrest Pad, Detachable Sideboard, Rubber Foam Castor And Drive Rear Wheel, Electrically Lifting Seat Plate.



**TC129**  
Power Stand Up Wheel Chair ,Powder Coating Frame, Flip-Up,Armrest With Single Controller, For Both Driving & Seat Lifting. Strong Rubber Foam Drive Wheel, Special Design With Comfortable, Safety Legrest Belt.



**TC139**  
Power Stand Up Wheel Chair, Powder Coating Frame, Flip-Up, Armrest With Single Controller, For Both Driving & Seat Lifting. Strong Rubber Foam Drive Wheel, Special Design With Comfort, Safety Legrest Belt.



**TC159L**  
Standing Walking&nursing Intelligent Type Standing Power Wheel Chair, Aluminum Frame, 200\*50 PU Front Castors, 12"PU Drive Wheels, Adjustable Head&Neck Rest, Adjustable Leg Pad



**TC141**  
Comfortable Swivel Seat, Flip-Up Armrest, Driving Lamp And Luggage Basket. Rubber Foam Castor Rubber Foam Rear Wheel.



**TC140**  
Comfortable Cehicle Seat, Adjustable Backrest and Seat Height. Flip-Up Armrest. Rubber Foam Wheel, With Driving Lamp.

Code	Specification (cm)		Wheelchair Icons								+	-	W	motor	Icon	(Kg)	Icon	(CM)	N.W.	G.W.	CTNS : CTNS	
	20° FCL	40° FCL	1	2	3	4	5	6	7	8	9	10	11								12	13
TC140	63	46	26	26	64-70	135							40AH		8°	110	140*71*79	105.2	120	22	44	
TC139	59	46	32	30	52	96										100	103*69*68	67	85	54	144	
TC124	62	43	32	20	52	92	20	1-6	38AH	200W*2	12°	110	80*66*64	75	85	63	168					
TC129	65	46	32	20	58	107	25	1-6	38AH	200W*2	12°	100	103*69*68	80.4	98.2	54	144					
TC141	58	48	26	22	58	129-139	30-40	1-10	33AH	400W	12°	100	124*59*80	78	90.5	24	48					
TC159L	62	45	32	20.5	58	103	30-40	1-10			12°	110	83*62*110	78	81							

# COMMUNE WHEEL CHAIR



**TC607-70**  
Chromed Steel Heavy Duty Frame  
PU Castor Solid Wheel  
Fixed Armrest And Footrest 70cm Seat Width



**TC609GCU**  
Foldable Chromed Steel Frame,  
Plastic Commode Seat,  
Reclining High Back,  
Detachable Armrest And Elevating Footrest,  
Solid Castor And Rear Wheel



**TC609LU**  
Foldable Aluminum Chair Frame,  
U Shape Commode Seat,  
Fixed Armrest And Footrest, Solid Castor,  
Pneumatic Rear Wheel.



**TC609U**  
Foldable Chromed Steel Frame,  
Plastic Commode Seat,  
Fixed Armrest And Footrest,  
Solid Castor And Rear Wheel.



**TC654LVCU**  
Stainless Steel Chair Frame,  
Flip Down Armrest, Detachable  
Elevating Footrest, U Shape Commode Seat.  
Pneumatic Rear Wheel, Solid Castor.



**TC681**  
Foldable Chromed Steel Frame,  
Plastic Commode Seat,  
Flip-Up Armrest And Detachable Footrest,  
Solid Castor And Solid Rear Wheel.

Code	Specification (cm)											N.W.	G.W.	CTNS		
	Seat W	Seat H	Back H	Wheel W	Wheel H	Wheel D	Wheel C	Wheel S	Wheel T	Wheel B	Wheel F			20'FCL	40'FCL	
TC607-70	89	32	70	59	20*5	70	105	120	50	40	150	104*34*106	33.5	38	100	200
TC609GCU	64		44	58	20	53	129				100	107*33*78	25.6	29.3	90	184
TC609LU	68.5		46	58	15	51	90				100	94*29*92	15.2	18.9	120	244
TC609U	64		44	58	20	50	87				100	92*29*89	19	21.3	120	244
TC654LVCU	67		46	61	20	50	128				100	97*41*86	21.5	23.5	90	184
TC681	60		45	58	15	53	90				100	75*28*91	19.6	21.4	126	272





# COMMODE WHEEL CHAIR



### TC691

Powder Coated Steel Frame, Detachable Armrest And Footrest, Solid Rear Castor With Lock, Plastic Commode Seat.



### TC692

Powder Coating Steel Frame, Flip Down Armrest, Detachable Footrest, Solid Rear Castor With Lock Plastic Commode Seat.



### TC693

Powder Coating Steel Frame, Fixed Armrest, Foldable Footrest Rear Castor With Lock, Plastic Commode Seat.



### TC695

Chromed Steel Frame Flip Up Armrest 5" Castor Detachable Footrest.



### TC694S

Stainless Steel Frame. Netted Back Rest PU Armrest, Solid Castor, Rear Wheel With Lock, Plastic Commode Seat, Length Adjustable Footrest.



### TC695S

Stainless Steel Chair Frame, Flip Down Armrest, Detachable Footrest, Four Castors With Lock, PU Commode Seat With Cover

Code	Specification (cm)		Wheel Configuration							Weight		Dimensions (CM)		Capacity	
	W	D	W	D	W	D	W	D	N.W.	G.W.	20" FCL	40" FCL	CTNS	CTNS	
TC691	54	45	12.5	12.5	53	93	87	43	38	100	54*53*53	12	14	160	336
TC692	55	45	12.5	12.5	54	95				100	56*53*57	10.8	12.8	160	320
TC693	55 ;	44 ;	12.5	12.5	51	81	70	44	36	100	50*26*66	10.5	11.7	253	529
TC695	55	45	12.5	12.5	58	98	83	43	38	100	55*54*51	21.6	24.6	80	165
TC694S	54	44	12.5	12.5	47	82	84			100	54*53*56	9.4	11.6	160	320
TC695S	54	44	12.5	12.5		50	97			100	61*55*55	12.2	14.4	180	368

# COMMUNE WHEEL CHAIR



**TC697S**  
Stainless Steel Chair Frame,  
PU Commode Seat,  
Flip Down Armrest,  
Detachable Footrest,  
Rear Castor With Lock.



**TC696**  
Chromed Steel Frame  
Adjustable Height



**TC697**  
Chromed Steel Frame  
Adjustable Height



**TC699L**  
Aluminum Chair Frame,  
Fixed Armrest,  
Foldable Footrest,  
Solid Rear Castor With Lock,  
Plastic Commode Seat.



**TC899**



**TC817**



**TC815**



**TC893**



**TC890**











**TC812L**



**TC8992**



**TC894**

Code	Specification (cm)							 (CM)	 N.WT(kg)	PCS CTN	G.W. (kg)
TC899	48	44	45	78	41	35	94*54*37			4	21
TC817	56	47	42	87	43	49	78*24*58			2	18
TC815	48	44	48.5	84.5	43	34	50*25*85			1	5
TC893	56	44	47	94	43	38	50*19*75			1	8.5
TC812L	43	44	38-48	68-75	44		60*38*52			2	6
TC890	45	43	42	77	40	28	63*32*44	8		2	8.9
TC8992	60	48	45	82	41	40	88*30*60	12.8		1	14.2
TC894	48	45	44-45	78-88	43	33	50*21*76	6		1	7
TC697S	54	44	12.5	12.5			55*54*57	10		1	13.8
TC696	55	44	7.5	7.5	45-55	78-88	51*21*76	8.2		2	10
TC697	55	45	7.5	7.5	55	43	52*25*81	90		2	9
TC699L	55	45	7.5	7.5			57*57*73	100		1	8.5





TC818L



TC800



TC896



TC897



TC893L



TC895L



TC810



TC811



TC812



TC8101



TC814



TC8951L



TC9122L-A



TC912L(XS)



TC9126L



TC962



TC918L











TC9122L



TC794L



TC7954

Code	Specification (cm)							 (CM)	 N.WT(kg)	PCS CTN	G.W. (kg)
TC818L	51	48	35-45	72-82	38	38	51*55*37			2	3
TC800	48	49	45-60	67-76	44	35	52*42*42			1	9.6
TC896	53	45	49-59	78-88	43	29	52*25*83			2	8.5
TC897	41	38	40	45			62*30*42	9.2		4	10.3
TC893L	56	44	47	94	43	38	51*19*75	5.3		1	6.4
TC895L	51	46	42-52	70-81	43	29	60*34*52	9.2		2	10.6
TC810	56	46	41-51	74-84	40	33	61*33*49	12.1		2	13
TC811	50	49	50-60	80-90	40	33	71*53*56	10		2	11.8
TC812	51	50	51-61	67-77	40	33	71*55*56	10.4		2	12.4
TC8101	46	44	41-56	60-75	37	18	44*22*66	10.8		2	12
TC814	58	48	43	67-77	39	43	58*58*70	5.2		2	11.5
TC8951L	43	40	40-50	62-72	41	-	45*18*63	2.6		5	3.6
TC794L	23	41		18	23		83*25*40	8.1		2	9.3
TC7954	42	38	40-50	40-50	38		57.5*39*25	8.1		2	9
TC912L(XS)	42	55		48.5-58.5			53*18*52	3.6		2	4.6
TC9122L	52	59		45-55			66*18*65	6		2	6.9
TC9122L-A	52	50		60-70			61*25*80	8.6		2	9.7
TC9126L	51	44		80-90			59*18*70	5		10	6.1
TC918L	58	38		78-88			96*68*38	19		1	22.1
TC962	54	45		52-87			62*22*67	8		1	9.1

# WALKING AIDS



TC919L



TC913L



TC915L



TC914L



TC971



TC9610



TC961L



TC965L



TC965L-5"









TC963L



TC966L(S)-2.5"



TC966L(S)

Code	Specification (cm)					 (CM)	 N.WT(kg)	PCS CTN	G.W. (kg)
TC919L	47	46	-	78-96	53*17*81	4.8	2	5.8	
TC913L	47	46	-	78-96	53*17*81	4.8	2	5.8	
TC915L	47	47	-	78-96	53*17*81	5.1	2	6.2	
TC914L	50	47	52-62	79-89	60*34*89.5	7	2	8.7	
TC971L	71	44	52	109-135	77*27*97	9.4	1	11.8	
TC9610	74	74	55	110-155	74*15*85	11.9	1	14.6	
TC961L	49	44	43-61	74-92	57*19*79	6.7	2	7.7	
TC965L	68	46	53	78-90	58*17*81	7.4	1	9	
TC965L-5"	50	62	-	82-100	64*20*83	6	2	7	
TC963L	74	46	-	77-95	58*18*81	5.2	2	7	
TC966L(S)-2.5"	35	51	52-62	-	55*25*62	2	2	3	
TC966L(S)	35	51	52-62	-	55*25*62	2	2	3	





TC964LR



TC912L-5"



TC917L(S/M/L)



TC9631L



TC9632L



TC960



TC9621



TC965LH



TC968L











TC914H



TC9622



TC969H

Specification (cm)								
Code					(CM)	N.WT(kg)	PCS CTN	G.W. (kg)
TC964LR	42	58	-	64-82	54*20*81	-	2	6
TC912L-5"	52	57	-	78-96	65*20*83	-	2	8
TC917L(S/M/L)	43	38	-	65-75	76*68*35	14.9	10	16.9
TC9631L	52	64	-	73.5-92	58*18*77	9.2	2	10.7
TC9632L	48	44	-	82-100	57*19*86	5.1	2	6.4
TC960	58	45	-	31	54*41*34	5.4	2	6.52
TC9621	62	46	54	80-105	60*18*80	8.2	1	9.5
TC965LH	68	46	53	78-90	62*24*84	7.4	1	9
TC968L	59	46	53	78-90	61*19*81	7	1	8.4
TC914H	70	43	62	78-90	60*25*72	10	1	10.9
TC9622	60	47	47	76-86	70*20*75	10.3	1	12
TC969H	59	38	-	82-97	63*25*70	7.7	1	9.2

# BATH BENCH



TC7962L



TC7991L



TC799L



TC798L



TC796L



TC790B



TC7931



TC797L



TC790











TC7920L



TC7972L



TC792

Code	Specification (cm)							 (CM)	 N.WT(kg)	PCS CTN	G.W. (kg)
TC7962L	75	44	48	88	39	37	67*29*53	6	1	7.5	
TC7991L	51	64	46-56	84-94	42	38	70*45*52	13	2	15	
TC799L	45	72	43-53	80-90	41	41	78*23*46	6	2	7.7	
TC798L	42	50	35-45	78-84	30	40	68*19*39	5.9	2	7.1	
TC796L	51	41	34-44	73-83	37	41	53*50*25	6.6	2	7.6	
TC790B	41	50	47	80	30	30	90*22*51	3.9	2	8.8	
TC7931	31	66	9.5	13.5	31	-	32*7*71.5	2.8	1	3.3	
TC797L	42	50	35-45	39-49	30		60*17*36.5	3.6	2	4.4	
TC790	39	51	47	52	30		74*19*52	6.4	2	7.2	
TC7920L	38	48	51-63	69-81	28	28	55*41*78	5.4	2	7.3	
TC7972L	34	32.5	38-56	38-56	32.5		35*35*39	3.1	2	3.9	
TC792	50	49	49-59	82-91	37	37	77*56*38.5	8.8	2	10.6	







TC920L TC9201L TC928L TC929L TC930L TC938L TC9282L TC927L TC936L TC9283L TC923L



TC9251L TC9252L TC925L(S) TC925L(M) TC925L(L) TC935(S) TC935(M) TC935(L) TC9204L TC937L TC933L

Specification Code	Height (cm)	N.W. (kg)	 (CM)	PCS CTN	G.W. (kg)
TC920L	71-94	0.36	65*15*28	20	7.7
TC9201L	71-94		65*15*28	20	8
TC928L	79.5-102.5		79*29*19	20	8
TC929L	71-94	0.3	65*15*28	20	8.3
TC930L	71-94	0.35	65*15*27	20	7.6
TC938L	80-103		79*34*19	20	8
TC9282L	74-97	0.35	68*36*18	20	8
TC927L	80-90(29.5)	0.37	62*16*26	20	8.3
TC936L	126(34)	0.3	53*12*36	20	8.2
TC9283L	74-97	0.5	74*36*18	20	8
TC923L	86-117	0.52	86*26*29	20	11

Specification Code	Height (cm)	N.W. (kg)	 (CM)	PCS CTN	G.W. (kg)
TC9204L	105-128	1.12	79*41*56	20	23.7
TC937L	96-119	0.35	100*28*32	20	12
TC933L	86-117	0.6	95*29*31	20	12.1
TC9251L	115-135	0.81	120*36*30	20	17.5
TC9252L	100-130	0.95	83*33*29	20	20
TC925L(S)	95-115.5	0.8	101*33*29	20	15.5
TC925L(M)	114-134.5	0.85	119*33*29	20	16.5
TC925L(L)	135-155.5	0.9	140*33*29	20	17.5
TC935(S)	98-118		101*33*29	20	15.5
TC935(M)	113-133		119*33*29	20	16.5
TC935(L)	128-148		140*33*29	20	17.5

# WALKING AIDS



TC911L TC940L TC942L TC9321S TC9322S TC9323S TC9424S TC921 TC931 TC922



TC926 TC934 TC924 TC932 TC9411L TC9412L TC9413L TC9243 TC9221 TC9242L TC9415L



TC9391L TC9301L-1 TC9301L-2 TC9301L-3 TC9301L-4 TC9274L TC9208L TC9207LW-1 TC9207LW-2 TC9207LW-3 TC9304L TC9381L TC9382L

Specification						Specification						Specification					
Code	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)	Code	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)	Code	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)
TC911L	86	0.8	85*30*40	10	10	TC924	65-88	0.8	72*30*34	10	9.2	TC9301L-2	71-94	0.35	65*15*27	20	7.6
TC940L	105-118		91*30*25	10	10	TC932	74-97	0.88	78*29*43	10	12	TC9301L-3	71-94	0.35	65*15*27	20	7.6
TC942L	78-98		92*49*41	10	10	TC9411L	75-95	3.4	61*34*34	4	4.3	TC9301L-4	71-94	0.35	65*15*27	20	7.6
TC9321S	84-107		78*29*43	10	12	TC9412L	70-90	3.2	64*27*27	4	4.2	TC9274L	71-94	0.35	65*15*27	20	7.6
TC9322S	76-99		78*29*43	10	12	TC9413L	72-92	3.2	64*27*25	4	4.1	TC9208L	71-94	0.35	65*15*27	20	7.6
TC9323S	76-99		78*29*43	10	12	TC9414L	70-93	5	76*39*23	8	6.2	TC9207LW-1	71-94	0.36	65*15*26	20	7.7
TC9424S	72-98		78*29*43	10	12	TC9243	66-89	7.3	70*21*44	8	8.5	TC9207LW-2	71-94	0.36	65*15*26	20	7.7
TC921	64.5-87.5	0.9	79*34*44	10	12	TC9221	73.5-96	0.79	78*29*43	10	9.1	TC9207LW-3	71-94	0.36	65*15*26	20	7.7
TC931	72-95		79*36*44	10	12	TC9242L	85-100	0.52	72*30*34	10	6.4	TC9304L	94-117	7.2	27*18*102	6	8.5
TC922	74-97	0.83	78*29*43	10	11	TC9415L	75-95	3.4	61*34*34	4	4.3	TC9381L	77-100	0.32	79*29*18	20	7.5
TC926	74-97	0.76	78*29*36	10	8.7	TC9391L	67-90	0.34	63*15*28	20	7.3	TC9382L	77-100	0.32	79*29*18	20	7.5

